# Defining Environmental Control Requirements for Laboratory Animal Facilities

#### Dan Frasier, PE



19 Tyler Road North Andover, MA 01845 978-683-4552 www.CommissionHVAC.com

### Agenda

Obtaining the Requirements

**ZUnique Issues** 

Maximizing Results




#### Capturing the Requirements

The most widely accepted references

An effective process





#### Involve the Right People


- Directors usually a veterinarian
- Consulting veterinarian (re: regulations)
- Researchers or a liaison for them
- Laboratory animal managers / technicians
- Maintenance personnel
- Experienced design professionals (A/Es)

#### Important References

"The Guide"

www.nap.edu


ASHRAE Handbooks www.ashrae.org



Handbook of Facilities Planning www.aaalac.org

**ARS** Facilities Design Standard

∠ Chapter 10: Animal Facilities



Occupational
Health and
Safety in
the Care
and Use of
Research
Animals

"Criteria for mechanical systems must be based on:

**ZReliability** 

Operational integrity

Projected length of service

ZEase of maintenance"

www.nap.edu

An Effective Process for Capturing the Requirements

Project Programming Phase



**HVAC Commissioning Process** 

Project Programming Phase

Project Program Committee
owner + architect / planners

AAALAC Program Description Committee



#### The Commissioning Process

Methods for Capturing Project Requirements

- Review design documents
- Review of program description
- Project Intent workshop

**HVAC Commissioning Process** 

Project Intent Workshop

MOST EFFECTIVE METHOD

- ∠ Uses Nominal Group Technique
- ∠ Uncovers a vast variety of needs

Workshop can be supplemented by surveys and interviews.



#### **AAALAC Accreditation**



Association for the Accreditation and Assessment of Laboratory Animal Care, International

Like a "Good Housekeeping stamp of approval"

Site visits every 3 years

re: Compliance to Regulations, mostly The Guide

Requires environmental monitoring

#### **AAALAC Program Description defines:**

- Air Source
- Air Treatment
- **EVentilation Rate**
- **∠**Temperature
- Relative Humidity
- Pressurization






**Rodent** 

Bio-containment (BSL-2, 3, 4)


Immuno-deficient animals






#### Tremendous growth





Large variety of rodent caging systems connecting to building systems



Difficult for an HVAC system to meet the needs of every type of caging system.

Airflows (CFM) for

4 cage rack manufacturers

Mfr.	Supply	Exhaust

a. 12 36

b. 45

c. 60

d. 20 17

#### One Example of Energy Conservation



- Ground Water Source Heat Pumps
- Heat Recovery Ventilator
- HVAC Commissioning

# Understanding the Requirements

Additional capacity

**≪Flexibility** 

Specialty systems

**Automation** 







#### Implement the Commissioning Process

Improves the quality of buildings


Cost & problem avoidance

Reduces number of design changes



#### Benefits of the Commissioning Process

- Buildings meet owners needs
- Reduced energy usage



The benefits far outweigh the costs.

### Defining Environmental Control Requirements for Laboratory Animal Facilities

Questions?